#### Schedule "A"

## CARLETON CONDOMINIUM CORPORATION NO. 233

## BY-LAW NO. 9

BE IT ENACTED as By-Law No. 9 (being a by-law to define standard units) of Carleton Condominium Corporation No. 233 (hereinafter referred to as the "Corporation") as follows:

#### ARTICLE I DEFINITIONS

All words used herein which are defined in the Condominium Act, 1998, or any successor, ('the Act'') shall have ascribed to them the meanings set out in the Act as amended from time to time.

#### ARTICLE II GENERAL

- (1) The purpose of this by-law is to define the standard unit in this condominium, for the purpose of Section 99 of the Act (insurance).
- Where the materials or specifications set out in this by-law are uncertain or incomplete, the standard unit specifications and materials shall be consistent with "Builder's Standard" construction. In the case of any dispute as to what constitutes "Builder's Standard", a comparison shall be had to the quality of the particular feature being offered by builders of comparable construction at the time of the damage.
- (3) The standard unit does not include features, which are part of the common elements. The Corporation's declaration determines which features are part of the common elements and which features are part of the units. To the extent that the attached schedule include features which are part of the common elements, they are included for reference and information purposes. They are not intended to be part of the standard unit.
- (4) Except as otherwise indicated in this by-law, the standard unit(s) shall include all features of the units mentioned in the declaration or shown in the description (including all registered architectural and structural drawings) of the condominium. In the case of any inconsistency between the declaration or description and the schedules to this By-Law, the schedules to this By-Law shall prevail.
- (5) All replacement materials and re-construction shall conform to the current Ontario Building Code, Ontario Fire Code, Ontario Electrical Safety Code, current Municipal regulations and by-laws, and all applicable bulletins in force. If any component of the standard unit must be upgraded or changed in order to comply with any applicable governmental regulation or code or other law applicable to the repair of insured damage or destruction, the said upgrade or change shall be considered part of the standard unit despite not being clearly defined herein as being part of the standard unit.
- (6) Where the schedules to this By-Law refer to specific brands of equipment or materials, this shall be deemed to include equivalent brands.
- (7) In this condominium, there are three (3) different classes of standard units. Each class is based upon a different model of unit in this condominium. The standard unit for each class or model is defined and described further in plans and specifications contained in the schedule(s) indicated for the particular class. The classes and schedule(s) are as follows:

Class Number	Class Description	Units	
1	Model A	Units:1, 4, 6, 7, 9, 11, 14, 15, 18, 19, 22, 24, 27, 30, 31, 34, 36, 37, 39, 42, 43, 46, 47, 49, 52, 53 and 56, Level 1	
2	Model A2	Units: 3, 10, 13, 16, 21, 28, 33, 40, 45, 50 and 54, Level 1	
3	Model B	Units: 2, 5, 8, 12, 17, 20, 23, 25, 26, 29, 32, 35, 38, 41, 44, 48, 51 and 55, Level 1	

#### ARTICLE III MISCELLANEOUS

- Invalidity: The invalidity of any part of this by-law shall not impair or affect in any manner the validity and enforceability or effect of the balance thereof.
- (2) <u>Waiver</u>. No restriction, condition, obligation or provision contained in this by-law shall be deemed to have been abrogated or waived by reason of any failure to enforce the same irrespective of the number of violations or breaches thereof which may occur.
- (3) Headings: The headings in the body of this by-law form no part thereof but shall be deemed to be inserted for convenience of reference only.
- (4) <u>Alterations</u>: This by-law or any parts thereof may be varied, altered or repealed by a by-law passed in accordance with the provisions of the Act, and the Declaration.

The foregoing by-law is hereby passed by the Directors and confirmed by the owners pursuant to the Condominium Act, 1998 of Ontario.

DATED this _	day of	, 2003
--------------	--------	--------

CARLETON CONDOMINIUM CORPORATION NO. 233

	 <del></del>	
Print Name:		
Print Title:		

I have authority to bind the Corporation.

Version 5.2 - February 2003

#### O All rights reserved.

This document was prepared by Nelligan O'Brien Payne LLP for CCC #233 based on a thorough review of all relevant documentation and the specific circumstances of this condominium. This document may not be appropriate for another condominium.

Please note: The form from which this document was prepared is regularly revised and updated.

#### Schedule "1" Carleton Condominium Corporation No. 233 Specifications

## SECTION ONE: GENERAL SPECIFICATIONS

Interior Doors:

Painted hollow core interior doors with polished brass finished doorknobs

Floors:

Wall to wall carpeting in Living Room, Dining Room, Hallways, Staircase and Bedrooms. Cushioned flooring in Kitchen, Vestibule and Bathrooms.

Trim:

Pine trim painted with one coat of semi-gloss paint

Walls:

1/2" drywall painted with one coat of latex flat finish paint except Bathrooms and Kitchen which have one coat of semi-gloss paint

Ceilings:

1/2" drywall, stippled except in Kitchen and Bathrooms

## Electrical, Plumbing and Mechanical Systems:

- 40 gal hot water tank (rental)
- · Gas fired warm air system
- 100 amp underground service
- Copper wiring throughout
- Washer and dryer connections
- Hardwired smoke detector
- Pre-wired for cable and telephone
- Heating ducts sized for future air-conditioning

## SECTION TWO: INDIVIDUAL AREAS

#### Vestibule/Foyer

- Coat closet with vinyl bypass sliding doors, hanging rod and one interior shelf the length of the closet
- Standard single bulb ceiling light fixture

#### Hallways and Stairs

- Standard single bulb ceiling light fixture (with a two way switch located at both top and bottom of stairs)
- Woodstringers painted with semi-gloss paint
- Plastic handrail on wrought iron railing
- Linen closet with bi-fold door and 5 interior shelves

#### Powder Room

- Post formed formica counter tops
- Standard melamine vanity with solid oak bar handle along the top of the doors
- Plate glass mirror
- Chromium plated towel bar and toilet paper holder
- Chrome finished faucets
- Enamel coated sink
- 2-bulb light fixture with glass lens
- Exhaust fan (vented in accordance with code requirements

## Living/Dining Room (Open concept)

- 1 switched outlet in Living room
- 1 switched 3-bulb light fixture with 3 glass globes and dimmer control in Dining Room

#### Schedule "1" (Continued) Carleton Condominium Corporation No. 233 Specifications

#### Kitchen

- Post formed formica counter tops
- Cupboards with melamine shelves, solid oak doors and metal hardware as per builder's
- Stainless steel sink with double handle faucets
- One single globe light fixture over sink
- One single globe light fixture over eating area
- Range hood (vented in accordance with code requirements)
- Rough-in for a dishwasher

#### Main Bathroom

- Post formed formica counter tops
- Standard melamine vanity with solid oak bar handle along the top of the doors
- Plate glass mirror
- Mirrored 14" x 18" medicine cabinet
- Standard bathtub with shower curtain rod
- Ceramic tile full height to bulkhead above bathtub
- Chromium plated towel bar, soap dish and toilet paper holder
- Chrome finished faucets
- Enamel coated sink
- Light fixture containing 4 bulbs with a glass lens
- Exhaust fan (vented in accordance with code requirements)
- Linen closet with bi-fold door and 5 interior shelves [Please confirm]

#### Master Bedroom

- Closet with vinyl bypass sliding doors, hanging rod and one interior shelf the length of the closet in Classes 1 and 2
- Walk-in Closet with standard interior door, two handing rods and two interior shelves in Class 3 [Please confirm]
- Ensuite in Class 3
- Switch outlets (no fixture)

#### Ensuite Bathroom (Class 3)

- Post formed formica counter tops
- Standard melamine vanity with solid oak bar handle along the top of the doors
- Plate glass mirror
- Mirrored 14" x 18" medicine cabinet
- Chromium plated towel bar and toilet paper holder
- Chrome finished faucets
- Enamel coated sink
- Lighting is a single switch with a glass lens

#### Secondary Bedrooms

- Closet with vinyl bypass sliding doors, hanging rod and one interior shelf the length of the closet
- Switched outlets (no fixture)

#### Schedule "1" (Continued) Carleton Condominium Corporation No. 233 Specifications

## Basements (Unfinished)

- Plastic laundry tub, center sink supply with swinging spout and double handles
- Two-way switch for lightning in staircase, one fixture at the bottom of the stairs and one fixture on the stair landing.
- 3" thick 2500 p.s.i. concrete basement floor with trowelled finish
- 8" thick 2500 p.s.i. concrete foundation walls
- Steel beams supported on steel teleposts
- R-12 Fiberglass insulation to 2' below grade

#### GARAGE

- ½" gypsum drywall to garage ceiling and wall next to house
- Asphalt on 6" crushed stone
- Single bulb light switched at garage door (no fixture)
- Steel panel garage door with lock

#### EXTERIOR

Brick vinyl siding Finish:

Insulated metal doors with weatherstripping, aluminum thresholds and Exterior Door:

polished brass handle with dead bolt as indicated on door schedule

Wood casement, slider and awning or vinyl slider windows as per Windows:

registered window schedule. All windows will be double glazed with

sealed thermal units. All opening lights will have screens.

R-20 Batt Insulation:

6 mil polyethylene vapour barrier Vapour Barrier: R-32 Fiberglass insulation at roof

Roof: Aluminum as indicated on plans Facias and Eaves:

2500 p.s.i. concrete Footings:

Cement parging to expose portions of foundation wall externally Parging:

Heavy duty damp proofing Damproofing: 4" diameter perimeter drainage system

Drainage: Two non-freeze hose bibs Hose Bibs:

Asphalt paved driveway on crushed stone base Driveway: Concrete walkway from driveway to front door Walkway:

The site will be graded, covered with 4" top soil and sockded to grades as Sod: approved by the City of Ottawa

Trees will be provided and planted in accordance with planting plans Trees: approved by the City of Ottawa

Fences and/or

In accordance with landscape plan approved by the City of Ottawa Hedges:

Framing:

#1 Spruce Material:

2" spruce - depths and spacing as shown on registered plans Joists: %" t&g subfloor with 1/2" t&g plywood underlay for cushion floor Sub Floor:

2" x 6" studs at 24" centers External Walls: 2" x 4" studs at 16" centers Internal Walls:

Roof Construction: Prefabricated roof trusses at 24" centers

3/8" sheeting with "H" clips Roof Sheathing:

Self-sealing asphalt Shingles:

# Schedule "1" (Continued) Carleton Condominium Corporation No. 233 Specifications

#### Standard Features

Unless otherwise indicated herein, the following items shall simply be of standard quality and installation and in accordance with all relevant or applicable codes and regulations:

light switch and cover plates
electrical outlets and cover plates
plumbing
drains
ducting, venting and associated fans
door hardware
smoke detectors
electrical wiring
paint
trim
cabinet hardware (bathroom(s) and kitchen)
door bells — front and back

N:\rec\c\ccc233\bylaw 9-standard unit.doc

### Explanation Note Standard Unit By-Law

The Condominium Act, 1998, states that all existing condominium corporations must pass bylaws which define the "standard units" in the condominium. According to the Act, the by-law must be passed before the corporation's first insurance renewal, after May 5, 2001.

We explain as follows.

We are sure that all owners are aware that condominium corporations arrange insurance covering the common elements.

In Ontario, condominium corporations are also obligated to arrange insurance covering the <u>units</u>. The corporation arranges this <u>unit insurance</u> on behalf of every owner.

This <u>unit insurance</u> arranged by the corporation does not provide 100% coverage for the unit. For example,

- 1. This insurance is normally subject to a relatively high deductible;
- This insurance may provide coverage for only certain perils (which are listed in the Condominium Act);
- This insurance does not cover betterments or improvements to the unit.

In this note, we deal only with item 3 - betterments and improvements.

Again, the insurance arranged by the corporation does not cover betterments and improvements to the unit. Normally owners obtain their own insurance covering these betterments and improvements.

The question is: How does one determine what is a betterment or an improvement?

The new Condominium Act says that this must be determined by reference to a "Standard Unit By-Law". Here is how it is to work:

The by-law must define the standard units by describing the features of each model which
are to be considered "standard". To achieve this, the by-law will have to contain
drawings (or refer to drawings registered at the registry office) and specifications which
list the features of each type of standard unit in the condominium.

Anything that is not part of a "standard unit" would then be an improvement, for which
the corporation would not be obligated to arrange insurance. Any insurance covering
those features would have to be arranged by the owner.

The description of the standard units will require approval of the owners - by vote on the proposed by-law.

Version 2 - October 2002

N:\rec\c\ccc233\(NOP\) explanation note - smd units.doc